Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1 :	1	((live\$3 or alive\$3 or active\$3 or online) near3 (address or ID) near3 list) and ((inactive or sleep\$3 or asleep\$3 or offline) near3 (address or ID) near3 list) and ((control\$4 or master or scheduler) near3 (address or ID) near3 list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 15:47
L2	6	((probing or probe or heartbeat or (heart near beat)) with algorithm) with priority	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 15:47
L3	73	((device or peripheral or unit or node) near3 (address or ID) near3 (list or table or database)) with (probing or polling or poll)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON.	2005/04/04 15:47
L4	4	(((first near2 (address or ID) near2 (list or table or database)) and (second near2 (address or ID) near2 (list or table or database)) and (third near2 (address or ID) near2 (list or table or database)))) and ((probing or polling or poll) with (list or table or database))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 15:47
L5	85	(((first near2 (address or ID) near2 (list or table or database)) and (second near2 (address or ID) near2 (list or table or database)) and (third near2 (address or ID) near2 (list or table or database))))	USPAT; EPO; JPO; DERWENT; IBM_TDB	ÖR	ON	2005/04/04 15:47
L6		(((first near2 (address or ID) near2 (list or table or database)) and (second near2 (address or ID) near2 (list or table or database)) and (third near2 (address or ID) near2 (list or table or database)))) and ((probing or polling or poll) with (list or table or database))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 15:47
L7	73	((device or peripheral or unit or node) near3 (address or ID) near3 (list or table or database)) with (probing or polling or poll)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	*2005/04/04 16:07
L8	7	(((link or bus) near3 master) with address) and (((heart near beat) or heartbeat) and ((device or element or unit or peripheral or address) near3 (live or online or active)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 16:06
L9	14	(Permanent near3 address) and (temporary near3 address) and (controller near3 address)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	in the state of the	2005/04/04 16:07

L10	25	(link near2 active near2 scheduler) and (list or table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 16:07
S1	O	((live or alive or active) near3 device near3 list) and ((inactive or sleep\$3 or asleep\$3) near3 device near3 list) and (control near3 device near3 list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/22 09:25
S2	0	((live\$3 or alive\$3 or active\$3) near3 device near3 list) and ((inactive or sleep\$3 or asleep\$3) near3 device near3 list) and (control\$3 near3 device near3 list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 09:13
S 3	3	((live\$3 or alive\$3 or active\$3) near3 device near3 list) and ((inactive or sleep\$3 or asleep\$3) near3 device near3 list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 09:00
S4	1	("5980078").PN.	USPAT; USOCR	OR	OFF	2004/07/16 12:52
S5 *	0	((live\$3 or alive\$3 or active\$3 or online) near3 device near3 list) and ((inactive or sleep\$3 or asleep\$3 or offline) near3 device near3 list) and ((control\$3 or master or scheduler) near3 device near3 list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 09:24
S6	10	((live\$3 or alive\$3 or active\$3) near3 device near3 (list or table or address)) and ((inactive or sleep\$3 or asleep\$3) near3 device near3 (list or table or address))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 09:24
\$ 7		((live\$3 or alive\$3 or active\$3 or online) near3 (address or ID) near3 list) and ((inactive or sleep\$3 or asleep\$3 or offline) near3 (address or ID) near3 list) and ((control\$3 or master or scheduler) near3 (address or ID) near3 list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 09:23
S8	0	((live\$3 or alive\$3 or active\$3 or online) near3 device near3 list) and ((inactive or sleep\$3 or asleep\$3 or offline) near3 device near3 list) and ((control\$4 or master or scheduler) near3 device near3 list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 09:24
S9		((live\$3 or alive\$3 or active\$3 or online) near3 (address or ID) near3 list) and ((inactive or sleep\$3 or asleep\$3 or offline) near3 (address or ID) near3 list) and ((control\$4 or master or scheduler) near3 (address or ID) near3 list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 09:27

S10	3	((live\$3 or alive\$3 or active\$3 or online) near3 (address or ID) near3 list) and ((inactive or sleep\$3 or asleep\$3 or offline) near3 (address or ID) near3 list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 10:49
S11	2606	((link or bus) near3 master) with address	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 10:49
S12	1416	(((link or bus) near3 master) with address) and (live or online or active)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 10:59
S13.	474	(((link or bus) near3 master) with address) and ((device or element or unit or peripheral or address) near3 (live or online or active))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON.	2004/07/16 13:49
S14	813	((heart near beat) or heartbeat) and ((device or element or unit or peripheral or address) near3 (live or online or active))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 11:04
S15	7	(((link or bus) near3 master) with address) and (((heart near beat) or heartbeat) and ((device or element or unit or peripheral or address) near3 (live or online or active)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR.	ON.	2004/07/16 11:04
S16	6	"6424872".URPN.	USPAT	OR	OFF	2004/07/16 11:48

				T		
S17		("RE27703" "4074565" "4283634" "4347563" "4430699" "4484273" "4531193" "4591977" "4819149" "4831558" "4864489" "4989083" "4992926" "5115675" "5122794" "5131092" "5151978" "5159673" "5166678" "5245704" "5251302" "5329579" "5333114" "5434774" "5448231" "5451923" "5452201" "5453924" "5457999" "5485142" "5485400" "5513324" "5526358" "5537547" "5537626" "5682476" "55684451" "5691896" "5706007" "5754596" "5764891" "5768119" "5793963" "5796602" "5796721" "5801942" "5805442" "5825664" "5828851" "5834861" "5841654" "5828851" "5834861" "5993968" "RE36263" "5960214" "5963147" "5970430" "5975737" "5978578" "5978850" "5980078" "5982362" "5995916" "6014612" "6017143" "6026352" "6032208" "6044305" "6078320" "6094600" "6095674" "6098116" "6119047" "6151625"	USPAT	OR	OFF	2004/07/16 11:48
US. (0. 11)		"2001/0003804").PN.				
S18	1	("5526358").PN.	USPAT; USOGR	OR	OFF	2004/07/16 12:54
S19	1	("6424872").PN.	USPAT; USOCR	OR	OFF	2004/07/16 13:11
S20	1	(("6424872").PN.) and (address or ID) and list	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 13:12
S21	13	(Permanent near3 address) and (temporary near3 address) and (controller near3 address)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 14:03
S22	1	((Permanent near3 address) and (temporary near3 address) and (controller near3 address)) and (first near2 set) and (second near2 set) and (third near2 set)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 14:52

S23	38	(link near3 master) and (fieldbus or (field near bus))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/19 12:12
S2 4	0	(probe or heartbeat or active or live) with ((link near3 master) or (link near2 active near2 scheduler) or LAS) with (often or frequently)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2004/07/19 12:15
S25	2694	(probe or heartbeat or active or live) with ((link near3 master) or (link near2 active near2 scheduler) or LAS)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/19 12:59
S26	6	(("6098116") or ("5980078") or ("6618745") or ("6742136") or ("6076952") or ("5971581")).PN.	USPAT; USOCR	OR	OFF	2004/07/19 12:59
S27	5341	(probe or heartbeat or (heart near beat)) with (often or frequent\$3 or (higher near3 priority))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/19 13:01
S28	27	((probe or heartbeat or (heart near beat)) with (often or frequent\$3 or (higher near3 priority))) with (master or controller or host or (link near3 master) or (link near2 active near2 scheduler) or LAS)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ÓN	2004/07/19 13:09
S29	4294	poll\$3 with (often or more or frequently)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/19 13:18
S30	914	(poll\$3 with (often or more or frequently)) with (device or peripheral or unit or controller or master or (link near2 active near2 scheduler) or LAS)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	.2004/07/21 13:31
S31	293	(poll\$3 with (often or more or frequently)) with (controller or master or (link near2 active near2 scheduler) or LAS)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/19 13:12
S32	20	(heartbeat or (heart near beat)) with (often or more or frequently) with (controller or master or (link near2 active near2 scheduler) or LAS)	USPAT; EPO; JPO; DERWENT; IBM_TDB	ÖR	ON	2004/07/19 13:13
S33	40	poll\$3 with (often or frequently) with (controller or master or (link near2 active near2 scheduler) or LAS)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/19 13:19

S34	79	(first near2 (address or ID) near2 (list or table)) and (second near2 (address or ID) near2 (list or table)) and (third near2 (address or ID) near2 (list or table))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/19 15:09
S35	76	(first near2 (address) near2 (list or table)) and (second near2 (address) near2 (list or table)) and (third near2 (address) near2 (list or table))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/19 15:10
S36	26	(first adj2 (address) adj2 (list or table)) and (second adj2 (address) adj2 (list or table)) and (third adj2 (address) adj2 (list or table))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/19 15:26
S37	29	link near2 active near2 scheduler	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/19 15:26
S38	0	(link near2 active near2 scheduler) and (first adj2 (address) adj2 (list or table)) and (second adj2 (address) adj2 (list or table))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/19 15:27
S39.	25	(link near2 active near2 scheduler) and (list or table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON:	2004/07/19 15:27
S40	7301	(prob\$3 or heartbeat or (heart near beat)) with algorithm	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/20 08:29
S41	62	((prob\$3 or heartbeat or (heart near beat)) with algorithm) with priority	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON:	2004/07/20 08:29
S42	1144	(probing or probe or heartbeat or (heart near beat)) with algorithm	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/20 08:29
S43	6	((probing or probe or heartbeat or (heart near beat)) with algorithm) with priority	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/20 08:29
S44	84	(first near2 (address or ID) near2 (list or table or database)) and (second near2 (address or ID) near2 (list or table or database)) and (third near2 (address or ID) near2 (list or table or database))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 08:46

S45	0	((first near2 (address or ID) near2 (list or table or database)) and (second near2 (address or ID) near2 (list or table or database)) and (third near2 (address or ID) near2 (list or table or database)) and ((Select\$3 or choos\$3) near2 Alter\$5 near2 (address or ID or list or database or table))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 08:48
S46	53	((first near2 (address or ID) near2 (list or table or database)) and (second near2 (address or ID) near2 (list or table or database)) and (third near2 (address or ID) near2 (list or table or database))) and ((Select\$3 or choos\$3 or Designat\$3) near2 (address or ID or list or database or table))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 14:05
S47	717	((plurality or multiple or plural) near2 (address or ID) near2 (list or table or database))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 08:48
S48	1	(((plurality or multiple or plural) near2 (address or ID) near2 (list or table or database))) and ((Select\$3 or choos\$3) near2 Alter\$5 near2 (address or ID or list or database or table))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON.	2004/07/21 08:48
S49	4474	(device or peripheral or unit or node) near3 (address or ID) near3 (list or table or database)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:32
S50	134	((device or peripheral or unit or node) near3 (address or ID) near3 (list or table or database)) with (probing or polling or poll or alive or live or awake or active)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:48
S51	71	((device or peripheral or unit or node) near3 (address or ID) near3 (list or table or database)) with (probing or polling or poll)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:49
S52	84	((first near2 (address or ID) near2 (list or table or database)) and (second near2 (address or ID) near2 (list or table or database)) and (third near2 (address or ID) near2 (list or table or database)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 14:05

S53		(((first near2 (address or ID) near2 (list or table or database)) and (second near2 (address or ID) near2 (list or table or database)) and (third near2 (address or ID) near2 (list or table or database))) and ((probing or polling or poll) with (list or table or database)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 14:06
S54		(("5793307"):PN.) and frequen\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/22 09:35
S55	2	("6006017").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/22 09:35
S56	1	("579330 7 ") PN.	USPAT; USOCR	OR	OFF	2004/07/22 13:07
S57	Lillianiathas shi si shi a cuina. 1	(("5793307").PN.) and memory	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/22 13:07
S58	4	(((first near2 (address or ID) near2 (list or table or database)) and (second near2 (address or ID) near2 (list or table or database)) and (third near2 (address or ID) near2 (list or table or database)))) and ((probing or polling or poll) with (list or table or database)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 12:00
S59	84	(((first near2 (address or ID) near2 (list or table or database)) and (second near2 (address or ID) near2 (list or table or database)) and (third near2 (address or ID) near2 (list or table or database))))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 15:58
S60	4	("5132680" "5161151" "5166675" "5479406").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/29 17:49
S61	11	("579330 7 ").URPN.	USPAT	OR	ON	2004/11/29 17:56
S62	4	(((first near2 (address or ID) near2 (list or table or database)) and (second near2 (address or ID) near2 (list or table or database)) and (third near2 (address or ID) near2 (list or table or database)))) and ((probing or polling or poll) with (list or table or database))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 18:31

S63	72	((device or peripheral or unit or node) near3 (address or ID) near3 (list or table or database)) with (probing or polling or poll)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 18:32
S64	6	((probing or probe or heartbeat or (heart near beat)) with algorithm) with priority	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 18:32
S65	1	((live\$3 or alive\$3 or active\$3 or online) near3 (address or ID) near3 list) and ((inactive or sleep\$3 or asleep\$3 or offline) near3 (address or ID) near3 list) and ((control\$4 or master or scheduler) near3 (address or ID) near3 list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 18:32